
Aesthetic Buildings of the City

Karmod Metropol Cabin











Since 1986

Karmod Metropol is in every sphere of life ...









World leader in cabin production, Karmod offers the Metropol Cabins developed with R & D activities. The Karmod Metropol Cabin adds quality to every point of the city with its aesthetic and modern style. Metropol Cabin has excellent insulation with metal carcass structure and special aesthetic coatings.

The Metropol Cabins produced as ready-to-use from electricity to water and from doors to windows and optional applications such as air conditioning, motorized shutters and jalousies can be made.

Metropol Cabins are used safely for many different purposes such as private security cabins, office cabins, management center offices, kiosk cabins, headman cabins, wc-shower cabins

Where is the Karmod Metropol Cabin Used?

Security Cabin: Plazas, Sites, Shopping Centers, Factory Management Buildings, Airports, Social Facilities etc.

Kiosk Cabins: Market Cabin, Newspaper - Magazine Sales Kiosk, Bread Kiosk etc.

Taxi Cabin: Special design for cab stands.

Office Cabin: Sales Offices, Administrative Buildings, Technical Office etc.

Ticket Cabin: Ticket-coin-card sales box office cabin in areas such as Museum, Cinema, Theater, Stadium, Parking and Amusement Park

WC Shower Cabin: Single and multiple models for Parks, Social Facilities, Shopping Centers, Sports Fields, Hospitals, Schools, etc.

In every area of life with its environmentfriendly concept













Karmod Prefabricated Construction Technologies

Technical Specifications

PRODUCTION DIMENSIONS

Can be custom produced according to demand.

Height: 2800 mm Parapet included.

Metal Materials: ST 37, precast concrete panel: TSE 634-2, Glass Wool: TS 901,

Polystrene Foam: TS 7316

TECHNICAL DATA

Earthquake Conditions: 1st Degree, Climate Conditions: 3rd Climate Zone

Snow Load: 80 Kg / m², Wind Speed: 80 Km / Hour

Outer Wall Communication Coefficient: K: 0.50 Kcal / m² hc

Roof Communication Coefficient: K: 0.69 Kcal / m² hc

Base Temperature Communication Coefficient: K: 0.68 Kcal / m² hc

Chassis Load Capacity: 200 Kg / m²

BASE

Base Coating: 2,5 mm thick PVC Mineflo is used as a base coating on 16 mm thick non-flammable precast concrete panel sheets.

OUTER WALL

System: It is made with carcass with special shaped profiles.

Exterior Surface Coating: It is coated with 12 mm thick Stone or Wood apearing cladding plagues with preference.

Inner Surface Coating: 8 mm thick precast concrete panel is used. (In the metropolitan cabins with WC, PVC panels are used for coating the inner surface.)

Wall Insulation: 40 mm thick, 10 kg / m³ polystyrene foam (EPS) with fire class B1;Heat insulation is made with full, healthy and safe materials.

INTERNAL WALL

System: It is made with carcass with special shaped profiles.

Inner Surface Coating: 8 mm thick precast concrete panel is used. (In the metropolitan cabins with WC, PVC panels are used for coating the inner surface.)

Wall Insulation: 40 mm thick, 10 kg / m³ polystyrene foam (EPS) with fire class B1; Heat insulation is made with full, healthy and safe materials.

ROOF

Roof System: The specially shaped construction and the carrier are produced with the aid of one-piece profiles, the roof is made of 20 cm eaves and 36 cm height. Rainwater is discharged through corner columns.

Roof Insulation: It is made of 80 mm thick mattress glass wool (14 kg / m³). **Inner Surface Coating:** The inner surface is covered with PVC Paneling. (Optionally 8 mm precast concrete panel can be used.) In the metropolitan cabins with WC, PVC panels are used for coating the inner surface.)

Outer Surface Coating: 0.5 mm thickness 27 mm * 200 mm depth Natural Trapeze Galvanized Sheet

DOORS

Exterior Door: White PVC joinery door with TSE certificate is available in dimensions of 90x210 cm. **Interior Door:** Wooden american door is available in dimensions of 80x200 cm.

WINDOWS

Window: White PVC with TSE certificate is available in dimensions of 120x100 cm.

Molding: PVC moldings are used on the inside edges of the windows.

Glass: 4 + 9 + 4 double glazing is used

PAINTS

Exterior Wall: Exterior surfaces are painted to the desired color with silicone based housepaint.

Door Frames: 1 layer Rapid prime paint is applied. **Metal Parts:** 1 layer Rapid prime paint is applied.

ELECTRICAL INSTALLATION (Under plaster)

System: Each room has a key, a socket, and a phone jack. Also on the four corners of the fringe spot luminaires are used for illumination.

Cable: Electrical power 2000 W 220 Volt, 3x2,5 mm for pits, 2x1,5 mm for illuminations TSE certified NYM cables are used.

Lighting Luminaire: TSE certified circular luminaires are used for lighting.

Socket and Switches: TSE certified materials are used.

SANITATION SYSTEM

Sanitary Ware: TSE certified materials are used.

Clean Water Installation: TSE certified PPRC materials are used. **Waste Water Installation:** TSE certified PVC materials are used.

EXTERNAL CONNECTIONS

Laying 20 cm concrete more than cabin measures, installation of the cabin, installation of electrical, clean water and wastewater connections is the responsibility of the customer.

LIFTING FUNCTION

Containers can be lifted and lowered with lifting eyes and steel ropes from all four corners.

Karmod Prefabricated Construction Technologies has the right to make changes in the technical specifications.



Karmod

Metropol Cabin 150x150























Metropol Cabin 200x200

























Karmod

Metropol Cabin 200x300-Model 3
























Metropol Cabin 200x300-Model 2 (WC + Room)

Katalogda yer alan renkler baskı tekniğine göre düzenlendiğinden gerçek RAL renkleri ile farklılıklar gösterebilir.



Surface Plane 8024

1018

9001

Surface Plane

8024

1018

9001

Karmod

Metropol Cabin 200x300-Model 3

























Metropol Cabin 300x300-Model 1

























Metropol Cabin 300x300-Model 2

























Metropol Cabin 300x500-Model 1

























Metropol Cabin 300x500-Model 2

























Metropol Cabin 300x600-Model 1

























Metropol Cabin 300x600-Model 2


























Metropol Cabin 300x600-Model 2 (WC + Shower)

Katalogda yer alan renkler baskı tekniğine göre düzenlendiğinden gerçek RAL renkleri ile farklılıklar gösterebilir.



Karmod

Metropol Cabin 300x700-Model 1

























Metropol Cabin 300x700-Model 2

























Metropol Cabin 300x700-Model 3






























Metropol Cabin Application Areas

Karmod Metropol cabins are all over the city ...

From cafes to restaurants....




















Metropol Cabin Application Areas

From security to offices...



Karmod Metropol is in everywhere ...









































































































29





















Door and Window Measures / Coatings









Head Office: Orta Mh. Oğuzhan Cd. Keban Sk. No: 4 Orhanlı-Tuzla/İstanbul/Türkiye

Phone : +90 (216) 392 20 45 Fax : +90 (216) 304 06 86 Web : www.karmod.com E-mail : info@karmod.com

