Aesthetic Buildings of

Karmod Metropol Cabin









about:blank 1/32




Karmod Metropol is in every sp





www.karmod.com

about:blank 2/32



about:blank 3/32



Karmod Prefabricated Construction Technologies

Technical Specifications

PRODUCTION DIMENSIONS

Can be custom produced according to demand.

Height: 2800 mm Parapet included.

Metal Materials: ST 37, precast concrete panel: TSE 634-2, Glass Wool: TS 901,

Polystrene Foam: TS 7316

TECHNICAL DATA

Earthquake Conditions: 1st Degree, Climate Conditions: 3rd Climate Zone

Snow Load: 80 Kg/m², Wind Speed: 80 Km/Hour

Outer Wall Communication Coefficient: K: $0.50 \, \text{Kcal} \, / \, \text{m}^2 \, \text{hc}$

Roof Communication Coefficient: K: 0.69 Kcal / m² hc

Base Temperature Communication Coefficient: K: 0.68 Kcal / m² hc

Chassis Load Capacity: 200 Kg / m²

BASE

Base Coating: 2,5 mm thick PVC Mineflo is used as a base coating on 16 mm thick non-flammable precast concrete panel sheets.

OUTER WALL

System: It is made with carcass with special shaped profiles.

Exterior Surface Coating: It is coated with 12 mm thick Stone or Wood apearing cladding plaques with preference.

Inner Surface Coating: 8 mm thick precast concrete panel is used. (In the metropolitan cabins with WC, PVC panels are used for coating the inner surface.) **Wall Insulation:** 40 mm thick, 10 kg/m³ polystyrene foam (EPS) with fire class B1;Heat insulation is made with full, healthy and safe materials.

INTERNAL WALL

System: It is made with carcass with special shaped profiles.

Inner Surface Coa

metropolitan cabin

Wall Insulation: 40

Heat insulation is n

ROOF

Roof System: The the aid of one-piec Rainwater is discharged.

Roof Insulation: It Inner Surface Coa

8 mm precast con PVC panels are use

Outer Surface Co

Galvanized Sheet

DOORS

Exterior Door: White Interior Door: Wo

WINDOWS

Window: White PV Molding: PVC mol Glass: 4 + 9 + 4 dc

PAINTS

Exterior Wall: Extension housepaint.

Door Frames: 1 la Metal Parts: 1 laye

www.karmod.com .

about:blank 4/32

ELECTRICAL INSTALLATION (Under plaster)

System: Each room has a key, a socket, and a phone jack. Also on the four corners of the fringe spot luminaires are used for illumination.

Cable: Electrical power 2000 W 220 Volt, 3x2,5 mm for pits, 2x1,5 mm for illuminations TSE certified NYM cables are used.

Lighting Luminaire: TSE certified circular luminaires are used for lighting.

Socket and Switches: TSE certified materials are used.

SANITATION SYSTEM

Sanitary Ware: TSE certified materials are used.

Clean Water Installation: TSE certified PPRC materials are used. **Waste Water Installation:** TSE certified PVC materials are used.

EXTERNAL CONNECTIONS

Laying 20 cm concrete more than cabin measures, installation of the cabin, installation of electrical, clean water and wastewater connections is the responsibility of the customer.

LIFTING FUNCTION

Containers can be lifted and lowered with lifting eyes and steel ropes from all four corners.


Karmod Prefabricated Construction Technologies has the right to make changes in the technical specifications.




about:blank 5/32



Metropol Cabin 150x150



about:blank 6/32




about:blank 7/32



Metropol Cabin 200x300-Model 3



















Katalogda yer alan renkler baskı te

8/32 about:blank



1016

9001

3014

Flat Surface

8024



Flat Surface

1016

9001

Wood Surface

3014


about:blank 9/32



Metropol Cabin 200x300-Model 3















Katalogda yer alan renkler baskı te

about:blank 10/32

Metro








11/32 about:blank



Metropol Cabin 300x300-Model 2



















Katalogda yer alan renkler baskı te

about:blank 12/32

Metro



















Katalogda yer alan renkler baskı tel

about:blank 13/32



Metropol Cabin 300x500-Model 2



















Katalogda yer alan renkler baskı te

14/32 about:blank

Metro








about:blank 15/32



300x600-Model 2



















Katalogda yer alan renkler baskı te

about:blank 16/32



about:blank 17/32



300x700-Model 1



















Katalogda yer alan renkler baskı te

about:blank 18/32

Metro

Katalogda yer alan renkler baskı tel



about:blank 19/32









20/32 about:blank



about:blank 21/32



Metropol Cabin Application Areas


Karmod Metropol cabins are all over the city ...



www.karmod.com

about:blank 22/32


V



about:blank 23/32




Metropol Cabin Areas of Usage





about:blank 24/32




about:blank 25/32



Metropol Cabin Areas of Usage



about:blank 26/32



about:blank 27/32



Metropol Cabin Areas of Usage









about:blank 28/32




















about:blank 29/32

Metropol Cabin Areas of Usage



about:blank 30/32

Door ar





www.karmod.co



Head Office:

Orta Mh. Oğuzhan Cd. Keban Sk. No: 4 Orhanlı-Tuzla/İstanbul/Türkiye

Phone: +90 (216) 392 20 45 Fax: +90 (216) 304 06 86 Web: www.karmod.com E-mail: info@karmod.com

444 20 35

about:blank 32/32